


地下水質調査結果(1/4)

別紙3

〔調査位置図〕



〔調査結果 ベンゼン〕

単位 (mg/L)

街区	調査区分	調査地点	試料採取日								ベンゼン										
			第9回	濃度①	濃度②	濃度③	濃度④	濃度⑤	濃度⑥	濃度⑦	濃度⑧	第9回	濃度①	濃度②	濃度③	濃度④	濃度⑤	濃度⑥	濃度⑦	濃度⑧	
5街区	濃度確認モニタリング	I29-4	16/12/1	17/4/20	17/5/30	17/6/27	17/7/20	17/8/14	17/9/21	17/10/19	17/11/28	0.027	0.083	0.10	0.084	0.028	0.052	0.10	0.072	0.11	
		K28-6	16/12/1	17/4/20	17/5/30	17/6/23	17/7/21	17/8/15	17/9/21	17/10/20	17/11/21	0.096	0.12	0.16	0.10	0.10	0.11	0.12	0.059	0.080	
		K37-4	16/11/21	17/4/19	17/5/31	17/6/26	17/7/20	17/8/15	17/9/22	17/10/17	17/11/21	0.79	1.0	1.0	1.1	1.0	1.2	1.6	1.4	1.1	
		L28-9	16/12/1	17/4/20	17/5/31	17/6/23	17/7/20	17/8/15	17/9/22	17/10/20	17/11/21	不検出	0.001	0.001	0.001	0.001	0.001	0.001	不検出	不検出	
		L39-3	16/11/21	17/4/26	17/5/31	17/6/27	17/7/28	17/8/15	17/9/22	17/10/18	17/11/28	0.063	0.078	0.068	0.071	0.074	0.078	0.078	0.081	0.088	
		M37-3	16/11/21	17/4/26	17/5/31	17/6/27	17/7/27	17/8/15	17/9/22	17/10/18	17/11/28	0.060	0.002	0.002	0.002	0.002	0.002	0.002	0.003	0.003	
		O42-7	16/11/29	17/4/21	17/5/30	17/6/26	17/7/20	17/8/14	17/9/21	17/10/20	17/11/29	0.088	0.067	0.082	0.091	0.085	0.11	0.075	0.050	0.085	
		P36-3	16/12/1	17/4/21	17/5/29	17/6/26	17/7/19	17/8/14	17/9/21	17/10/24	17/11/29	0.004	0.004	0.005	0.005	0.005	0.005	0.005	0.005	0.006	
		Q37-5	16/12/1	17/4/21	17/5/29	17/6/26	17/7/19	17/8/14	17/9/21	17/10/24	17/11/29	0.044	0.016	0.016	0.024	0.016	0.017	0.022	0.013	0.062	
	全体確認モニタリング	J35-6	16/11/29	-	-	-	17/7/20	-	-	17/10/24	-	0.029	-	-	-	0.063	-	-	0.039	-	
		L31-1	16/11/24	-	-	-	17/7/28	-	-	17/10/24	-	0.031	-	-	-	0.037	-	-	0.035	-	
		N32-6	16/11/21	-	-	-	17/7/27	-	-	17/10/18	-	不検出	-	-	-	0.002	-	-	0.002	-	
		O33-3	16/11/21	-	-	-	17/7/28	-	-	17/10/20	-	0.001	-	-	-	0.018	-	-	不検出	-	
		O38-1	16/11/21	-	-	-	17/7/27	-	-	17/10/18	-	0.013	-	-	-	0.018	-	-	0.021	-	
	6街区	濃度確認モニタリング	B10-5	16/11/28	17/4/24	17/5/24	17/6/20	17/7/24	17/8/16	17/9/25	17/10/27	17/11/27	0.14	0.15	0.15	0.13	0.17	0.16	0.14	0.16	0.17
			B11-5	16/11/28	17/4/24	17/5/24	17/6/20	17/7/24	17/8/16	17/9/25	17/10/27	17/11/27	0.012	0.049	0.050	0.046	0.045	0.049	0.049	0.020	0.036
B9-2			16/12/2	17/4/18	17/5/24	17/6/20	17/7/18	17/8/16	17/9/25	17/10/26	17/11/22	0.098	0.16	0.18	0.13	0.13	0.17	0.14	0.17	0.14	
C11-5			16/11/30	17/4/24	17/5/25	17/6/21	17/7/24	17/8/16	17/9/25	17/10/25	17/11/27	0.074	0.094	0.15	0.10	0.083	0.093	0.079	0.062	0.059	
C9-2			16/12/2	17/4/20	17/5/26	17/6/23	17/7/20	17/8/18	17/9/27	17/10/26	17/11/29	0.12	0.017	0.002	不検出	不検出	不検出	不検出	不検出	不検出	
D10-5			16/11/28	17/4/25	17/5/25	17/6/20	17/7/24	17/8/16	17/9/25	17/10/23	17/11/27	0.025	0.033	0.032	0.030	0.031	0.033	0.037	0.032	0.033	
D11-5			16/11/28	17/4/24	17/5/25	17/6/21	17/7/24	17/8/17	17/9/28	17/10/23	17/11/27	0.23	0.28	0.30	0.26	0.28	0.27	0.34	0.31	0.32	
D12-5			16/11/28	17/4/24	17/5/25	17/6/21	17/7/24	17/8/17	17/9/28	17/10/25	17/11/27	0.14	0.20	0.23	0.16	0.20	0.21	0.23	0.20	0.10	
E20-7			16/11/30	17/4/26	17/5/26	17/6/22	17/7/26	17/8/18	17/9/26	17/10/23	17/11/24	0.082	0.072	0.10	0.12	0.14	0.18	0.12	0.14	0.12	
F9-9			16/11/30	17/4/25	17/5/25	17/6/21	17/7/25	17/8/18	17/9/26	17/10/27	17/11/24	0.10	0.20	0.23	0.16	0.20	0.19	0.22	0.10	0.18	
G12-3			16/11/28	17/4/25	17/5/26	17/6/22	17/7/25	17/8/18	17/9/26	17/10/27	17/11/24	0.11	0.18	0.17	0.14	0.15	0.17	0.18	0.17	0.16	
G8-1		16/12/1	17/4/18	17/5/29	17/6/22	17/7/18	17/8/21	17/9/22	17/10/26	17/11/22	不検出	0.008	0.022	0.012	0.022	0.019	0.016	0.006	0.014		
全体確認モニタリング	E11-2	16/11/30	-	-	-	17/7/25	-	-	17/10/25	-	0.030	-	-	-	0.070	-	-	0.073	-		
7街区	濃度確認モニタリング	I24-3	16/11/25	17/4/19	17/5/30	17/6/23	17/7/20	17/8/18	17/9/27	17/10/19	17/11/29	0.011	0.037	0.084	0.087	0.064	0.10	0.018	0.005	0.011	
		L25-1	16/11/25	17/4/19	17/5/26	17/6/23	17/7/21	17/8/21	17/9/27	17/10/19	17/11/28	0.021	0.034	0.038	0.032	0.021	0.031	0.033	0.032	0.026	
		M5-2	16/11/25	17/4/18	17/5/29	17/6/22	17/7/18	17/8/21	17/9/22	17/10/26	17/11/22	不検出	不検出	0.002	不検出	0.005	0.001	0.001	0.001	0.004	
	全体確認モニタリング	K6-2	16/12/6	-	-	-	17/7/28	-	-	17/10/26	-	0.003	-	-	-	不検出	-	-	不検出	-	
		N12-2	16/11/29	-	-	-	17/7/18	-	-	17/10/24	-	0.003	-	-	-	0.002	-	-	0.002	-	
		P21-3	16/11/25	-	-	-	17/7/21	-	-	17/10/18	-	0.008	-	-	-	0.017	-	-	0.017	-	

※「不検出」は定量下限値 (0.001mg/L) 未満

地下水質調査結果(2/4)

〔調査結果 シアン〕

単位 (mg/L)

街区	調査区分	調査地点	試料採取日								シアン									
			第9回	濃度①	濃度②	濃度③	濃度④	濃度⑤	濃度⑥	濃度⑦	濃度⑧	第9回	濃度①	濃度②	濃度③	濃度④	濃度⑤	濃度⑥	濃度⑦	濃度⑧
5街区	濃度確認 モニタリング	M37-3	16/11/21	17/4/26	17/5/31	17/6/27	17/7/27	17/8/15	17/9/22	17/10/18	17/11/28	不検出	不検出	不検出	不検出	不検出	不検出	不検出	不検出	不検出
		O42-7	16/11/29	17/4/21	17/5/30	17/6/26	17/7/20	17/8/14	17/9/21	17/10/20	17/11/29	0.1	0.5	0.6	0.9	0.9	0.8	0.5	0.4	0.5
		P36-3	16/12/1	17/4/21	17/5/29	17/6/26	17/7/19	17/8/14	17/9/21	17/10/24	17/11/29	0.1	0.1	0.1	0.1	不検出	0.1	0.1	不検出	不検出
		P41-5	16/12/1	17/4/21	17/5/29	17/6/26	17/7/19	17/8/14	17/9/21	17/10/24	17/11/29	0.1	0.1	0.1	0.1	0.1	0.1	不検出	不検出	0.1
		Q37-5	16/12/1	17/4/21	17/5/29	17/6/26	17/7/19	17/8/14	17/9/21	17/10/24	17/11/29	不検出	不検出	不検出	不検出	不検出	不検出	不検出	不検出	不検出
	全体確認 モニタリング	J35-6	16/11/29	-	-	-	17/7/20	-	-	17/10/24	-	不検出	-	-	-	不検出	-	-	不検出	-
		O38-1	16/11/21	-	-	-	17/7/27	-	-	17/10/18	-	不検出	-	-	-	不検出	-	-	不検出	-
	6街区	濃度確認 モニタリング	B10-5	16/11/28	17/4/24	17/5/24	17/6/20	17/7/24	17/8/16	17/9/25	17/10/27	17/11/27	1.0	1.0	0.9	1.0	1.0	0.9	0.8	1.0
B11-5			16/11/28	17/4/24	17/5/24	17/6/20	17/7/24	17/8/16	17/9/25	17/10/27	17/11/27	0.6	1.3	1.4	1.5	1.2	1.5	1.5	0.3	0.8
B9-2			16/12/2	17/4/18	17/5/24	17/6/20	17/7/18	17/8/16	17/9/25	17/10/26	17/11/22	0.4	0.4	0.3	0.3	0.2	0.3	0.2	0.2	0.2
C11-5			16/11/30	17/4/24	17/5/25	17/6/21	17/7/24	17/8/16	17/9/25	17/10/25	17/11/27	0.6	0.4	0.6	0.6	0.4	0.4	0.2	0.2	0.2
C26-7			16/12/2	17/4/18	17/5/24	17/6/20	17/7/20	17/8/17	17/9/27	17/10/27	17/11/22	1.2	0.2	0.1	不検出	不検出	不検出	0.1	0.3	0.3
C9-2			16/12/2	17/4/20	17/5/26	17/6/23	17/7/20	17/8/18	17/9/27	17/10/26	17/11/29	0.8	0.1	不検出	不検出	不検出	不検出	0.1	不検出	0.1
D10-5			16/11/28	17/4/25	17/5/25	17/6/20	17/7/24	17/8/16	17/9/25	17/10/23	17/11/27	0.7	0.7	0.8	0.8	0.6	0.7	0.7	0.7	0.6
D11-5			16/11/28	17/4/24	17/5/25	17/6/21	17/7/24	17/8/17	17/9/28	17/10/23	17/11/27	1.0	1.3	1.3	1.3	1.2	1.3	1.2	1.3	1.3
D12-5			16/11/28	17/4/24	17/5/25	17/6/21	17/7/24	17/8/17	17/9/28	17/10/25	17/11/27	0.7	1.0	1.1	1.0	1.0	1.0	1.1	0.9	0.4
E12-4			16/11/28	17/4/25	17/5/26	17/6/21	17/7/25	17/8/17	17/9/28	17/10/23	17/11/24	1.2	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.9
E12-6			16/11/28	17/4/25	17/5/26	17/6/22	17/7/25	17/8/17	17/9/28	17/10/23	17/11/24	0.8	0.5	0.4	0.6	0.4	0.4	0.5	0.5	0.7
F11-5			16/11/28	17/4/25	17/5/25	17/6/21	17/7/25	17/8/18	17/9/26	17/10/23	17/11/24	1.2	1.4	1.4	1.4	1.4	1.3	1.4	1.3	1.3
F9-9			16/11/30	17/4/25	17/5/25	17/6/21	17/7/25	17/8/18	17/9/26	17/10/27	17/11/24	0.2	0.7	0.7	0.7	0.7	0.7	0.7	0.3	0.7
G12-3			16/11/28	17/4/25	17/5/26	17/6/22	17/7/25	17/8/18	17/9/26	17/10/27	17/11/24	0.1	0.7	0.7	0.6	0.7	0.7	0.7	0.6	0.7
G8-1			16/12/1	17/4/18	17/5/29	17/6/22	17/7/18	17/8/21	17/9/22	17/10/26	17/11/22	不検出	不検出	不検出	不検出	不検出	不検出	不検出	不検出	不検出
全体確認 モニタリング			B15-9	16/11/30	-	-	-	17/7/26	-	-	17/10/25	-	0.4	-	-	-	0.7	-	-	0.7
		E11-2	16/11/30	-	-	-	17/7/25	-	-	17/10/25	-	0.5	-	-	-	0.7	-	-	0.6	-
7街区		濃度確認 モニタリング	I24-3	16/11/25	17/4/19	17/5/30	17/6/23	17/7/20	17/8/18	17/9/27	17/10/19	17/11/29	不検出	不検出	0.1	0.1	0.2	0.1	不検出	不検出
	L25-1		16/11/25	17/4/19	17/5/26	17/6/23	17/7/21	17/8/21	17/9/27	17/10/19	17/11/28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	M5-2		16/11/25	17/4/18	17/5/29	17/6/22	17/7/18	17/8/21	17/9/22	17/10/26	17/11/22	不検出	不検出	不検出	不検出	0.1	不検出	不検出	不検出	不検出
	全体確認 モニタリング	J12-5	16/11/22	-	-	-	17/7/26	-	-	17/10/30	-	0.1	-	-	-	0.1	-	-	0.1	-
		K6-2	16/12/6	-	-	-	17/7/28	-	-	17/10/26	-	0.1	-	-	-	不検出	-	-	0.1	-
		N6-2	16/11/29	-	-	-	17/7/26	-	-	17/10/26	-	0.4	-	-	-	0.4	-	-	0.3	-
N12-2	16/11/29	-	-	-	17/7/18	-	-	17/10/24	-	0.3	-	-	-	0.1	-	-	不検出	-		

※「不検出」は定量下限値 (0.1mg/L) 未満

〔調査結果 ヒ素〕



単位 (mg/L)

街区	調査区分	調査地点	試料採取日								ヒ素									
			第9回	濃度①	濃度②	濃度③	濃度④	濃度⑤	濃度⑥	濃度⑦	濃度⑧	第9回	濃度①	濃度②	濃度③	濃度④	濃度⑤	濃度⑥	濃度⑦	濃度⑧
5街区	全体確認 モニタリング	M31-2	16/11/21	-	-	-	17/7/27	-	-	17/10/18	-	0.038	-	-	-	0.040	-	-	0.027	-
		O33-3	16/11/21	-	-	-	17/7/28	-	-	17/10/20	-	0.007	-	-	-	0.006	-	-	0.003	-
		O38-1	16/11/21	-	-	-	17/7/27	-	-	17/10/18	-	0.022	-	-	-	0.020	-	-	0.021	-
6街区	濃度確認 モニタリング	B10-5	16/11/28	17/4/24	17/5/24	17/6/20	17/7/24	17/8/16	17/9/25	17/10/27	17/11/27	0.022	0.034	0.027	0.028	0.031	0.016	0.028	0.030	0.032
		D10-5	16/11/28	17/4/25	17/5/25	17/6/20	17/7/24	17/8/16	17/9/25	17/10/23	17/11/27	0.012	0.022	0.021	0.019	0.020	0.011	0.023	0.020	0.021
		D11-5	16/11/28	17/4/24	17/5/25	17/6/21	17/7/24	17/8/17	17/9/28	17/10/23	17/11/27	0.015	0.020	0.019	0.017	0.017	0.014	0.020	0.016	0.018
		D12-5	16/11/28	17/4/24	17/5/25	17/6/21	17/7/24	17/8/17	17/9/28	17/10/25	17/11/27	0.021	0.027	0.028	0.023	0.025	0.023	0.026	0.023	0.015
		G12-3	16/11/28	17/4/25	17/5/26	17/6/22	17/7/25	17/8/18	17/9/26	17/10/27	17/11/24	0.018	0.028	0.033	0.030	0.027	0.022	0.028	0.028	0.026
		G8-1	16/12/1	17/4/18	17/5/29	17/6/22	17/7/18	17/8/21	17/9/22	17/10/26	17/11/22	不検出	0.007	0.007	0.005	0.005	0.004	0.005	0.009	0.006
	全体確認 モニタリング	A19-4	16/12/2	-	-	-	17/7/18	-	-	17/10/30	-	0.023	-	-	-	0.021	-	-	0.016	-
		E11-2	16/11/30	-	-	-	17/7/25	-	-	17/10/25	-	0.017	-	-	-	0.025	-	-	0.024	-
7街区	濃度確認 モニタリング	M5-2	16/11/25	17/4/18	17/5/29	17/6/22	17/7/18	17/8/21	17/9/22	17/10/26	17/11/22	0.002	0.004	0.008	0.006	0.009	0.007	0.007	0.003	0.008
	全体確認 モニタリング	K16-2	16/11/22	-	-	-	17/7/26	-	-	17/10/30	-	0.009	-	-	-	0.008	-	-	0.008	-
		K19-7	16/11/29	-	-	-	17/7/21	-	-	17/10/20	-	0.016	-	-	-	0.012	-	-	0.013	-
		K6-2	16/12/6	-	-	-	17/7/28	-	-	17/10/26	-	0.003	-	-	-	0.002	-	-	0.001	-
		M20-4	16/11/25	-	-	-	17/7/21	-	-	17/10/18	-	0.019	-	-	-	0.019	-	-	0.020	-
		N6-2	16/11/29	-	-	-	17/7/26	-	-	17/10/26	-	0.011	-	-	-	0.014	-	-	0.013	-
		P21-3	16/11/25	-	-	-	17/7/21	-	-	17/10/18	-	0.026	-	-	-	0.031	-	-	0.021	-

※「不検出」は定量下限値 (0.001mg/L) 未満

地下水質調査結果(3/4)

〔濃度確認モニタリング 濃度の推移(全街区)〕



地下水質調査結果(4/4)

〔濃度確認モニタリング 濃度の推移(全街区)〕

